

T.D 0300

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Small *et al.*

Application No: 10/015,520

Filed: 12/13/2001

Title: Rapid Diagnostic Method for Distinguishing Allergies and Infections and Nasal Secretion Collection Unit



Group Art Unit: 1623

COPY OF PAPERS  
ORIGINALLY FILED

Attorney Docket No: UF1561B-D1

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

This is in response to a Notice to File Corrected Application Papers. Enclosed is a copy of said Notice and the following documents to complete the filing requirements of the above-identified application.

(X) New formal drawings (3 pages) in compliance with 37 C.F.R. §1.84.


I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope with sufficient postage addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit: April 22, 2002

Typed Name: Timothy H. Van Dyke

Signature: 

Respectfully submitted,

By   
Timothy H. Van Dyke, Reg. No. 43218

Date: April 22, 2002

**Customer No: 29847**

Van Dyke & Associates, P.A.  
1630 Hillcrest Street  
Orlando, FL 32803  
Phone: 407-228-0328; Fax: 407-228-0329

1015520-050107



COPY OF PAPERS  
ORIGINALLY FILED

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/015,520	12/13/2001	Parker Small	UF1561B-D1

CONFIRMATION NO. 7426

FORMALITIES LETTER



\*CC000000007510649\*

29847  
VAN DYKE & ASSOCIATES, P.A.  
1630 HILLCREST STREET  
ORLANDO, FL 32803

Date Mailed: 02/21/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE